

西南交通大学电气工程学院卫生检查成绩(天佑斋17号)2018级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T174091	7.0	3.0	5.0	6.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T174092	8.0	3.0	5.5	6.0	5.0	4.0	5.0	36.5	30.0	25.0	91.5
T174093	7.0	3.0	5.0	6.0	5.5	4.0	5.0	35.5	30.0	25.0	90.5
T174094	7.5	3.0	5.0	6.0	5.0	4.0	5.0	35.5	30.0	25.0	90.5
T174095	7.0	3.0	5.0	6.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T175062	8.0	3.0	5.0	5.5	6.0	4.0	5.0	36.5	30.0	25.0	91.5
T175063	7.0	3.0	5.0	6.0	5.5	4.0	5.0	35.5	30.0	25.0	90.5
T175064	7.5	3.0	5.0	6.0	5.0	4.0	5.0	35.5	30.0	25.0	90.5
T175065	7.0	3.0	5.0	5.5	5.5	4.0	5.0	35.0	30.0	25.0	90.0
T175066	7.5	3.0	5.0	6.0	5.5	4.0	5.0	36.0	30.0	25.0	91.0
T175067	7.0	3.0	5.0	6.0	5.5	3.0	5.0	34.5	30.0	25.0	89.5
T175068	8.0	3.0	6.0	6.0	6.0	3.5	5.0	37.5	30.0	25.0	92.5
T175069	7.5	3.0	5.5	6.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T175071	7.0	3.0	5.5	5.5	5.5	4.0	5.0	35.5	30.0	26.0	91.5
T175072	7.0	3.0	5.0	6.0	6.0	4.0	5.0	36.0	30.0	26.0	92.0
T175073	7.0	3.0	6.0	6.0	6.0	3.5	5.0	36.5	30.0	26.0	92.5
T175074	7.5	3.0	5.5	5.5	5.5	4.0	5.0	36.0	30.0	25.5	91.5
T175075	8.0	3.0	5.0	6.0	6.0	4.0	5.0	37.0	30.0	25.5	92.5
T175076	7.0	3.0	5.0	5.0	6.0	4.0	5.0	35.0	30.0	26.0	91.0
T175077	7.5	3.0	5.0	5.0	5.5	3.5	5.0	34.5	30.0	26.0	90.5
T175078	7.0	3.0	5.0	5.5	6.0	4.0	5.0	35.5	30.0	25.0	90.5
T175079	7.5	3.0	6.0	6.0	5.5	4.0	5.0	37.0	30.0	25.0	92.0
T175080	7.0	3.0	5.0	5.0	6.0	4.0	5.0	35.0	30.0	25.0	90.0
T175081	8.0	3.0	5.0	6.0	5.5	4.0	5.0	36.5	30.0	26.0	92.5
T175082	8.0	3.0	6.0	6.0	5.5	4.0	5.0	37.5	30.0	26.0	93.5
T175083	7.5	3.0	5.0	6.0	6.0	3.5	5.0	36.0	30.0	26.0	92.0
T175084	8.0	3.0	5.5	6.0	5.0	4.0	5.0	36.5	30.0	26.0	92.5
T175085	7.5	3.0	6.0	6.0	6.0	4.0	5.0	37.5	30.0	26.0	93.5
T175086	7.0	3.0	5.0	6.0	5.5	4.0	5.0	35.5	30.0	26.0	91.5
T175087	7.5	3.0	5.0	5.5	6.0	4.0	5.0	36.0	30.0	26.0	92.0
T175088	8.0	3.0	5.0	6.0	5.5	3.5	5.0	36.0	30.0	26.0	92.0
T175089	7.5	3.0	5.0	6.0	6.0	3.5	5.0	36.0	30.0	26.0	92.0
T175090	7.5	3.0	5.5	6.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T175091	7.0	3.0	6.0	5.0	6.0	4.0	5.0	36.0	30.0	26.0	92.0
T175092	8.0	3.0	6.0	5.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T175093	7.5	3.0	5.0	5.5	6.0	3.5	5.0	35.5	30.0	26.0	91.5
T175094	7.0	3.0	5.0	6.0	5.5	4.0	5.0	35.5	30.0	26.0	91.5
T175095	8.0	3.0	5.0	6.0	6.0	3.5	5.0	36.5	30.0	26.0	92.5
T175096	8.0	3.0	5.0	6.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T176039	7.0	3.0	5.0	6.0	5.5	4.0	5.0	35.5	30.0	26.0	91.5
T176040	7.5	3.0	5.0	6.0	6.0	4.0	5.0	36.5	30.0	26.0	92.5
T176041	7.0	3.0	5.0	6.0	6.0	3.5	5.0	35.5	30.0	26.0	91.5
T176042	7.5	3.0	5.5	5.5	5.5	4.0	5.0	36.0	30.0	26.0	92.0
T176043	7.0	3.0	6.0	6.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T176044	8.0	3.0	5.5	5.5	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T176045	8.0	3.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T176046	8.0	3.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T176047	8.0	3.0	5.0	6.0	5.0	4.0	6.0	37.0	30.0	26.0	93.0
T176048	8.0	3.0	6.0	5.0	6.0	3.0	5.0	36.0	30.0	26.0	92.0
T176049	7.0	3.0	4.0	5.0	5.0	2.0	5.0	31.0	30.0	25.0	86.0
T176050	8.0	3.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T176051	8.0	3.0	5.0	5.0	6.0	4.0	5.0	36.0	30.0	26.0	92.0
T176052	8.0	3.0	5.0	4.0	5.0	4.0	4.0	33.0	30.0	25.0	88.0
T176053	8.0	3.0	5.0	6.0	5.0	4.0	5.0	36.0	30.0	25.0	91.0
T176054	8.0	3.0	6.0	5.0	5.0	3.0	4.0	34.0	30.0	26.0	90.0
T176055	8.0	3.0	6.0	5.0	5.0	3.0	5.0	35.0	30.0	26.0	91.0
T176056	7.0	3.0	6.0	5.0	5.0	3.0	4.0	33.0	30.0	26.0	89.0
T176057	8.0	3.0	5.0	5.0	6.0	3.0	5.0	35.0	30.0	25.0	90.0

西南交通大学电气工程学院卫生检查成绩（天佑斋17号）2018级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T176058	8.0	3.0	6.0	6.0	5.0	3.0	6.0	37.0	30.0	26.0	93.0
T176059	8.0	3.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T176060	8.0	3.0	5.0	5.0	5.0	4.0	6.0	36.0	30.0	26.0	92.0
T176061	8.0	3.0	6.0	6.0	5.0	4.0	5.0	37.0	30.0	26.0	93.0
T176062	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T176063	8.0	3.0	5.0	5.0	6.0	4.0	6.0	37.0	30.0	26.0	93.0
T176065	8.0	3.0	6.0	5.0	5.0	3.0	6.0	36.0	30.0	26.0	92.0
T176066	8.0	3.0	6.0	6.0	5.0	4.0	6.0	38.0	30.0	26.0	94.0
T176067	8.0	3.0	6.0	6.0	5.0	4.0	6.0	38.0	30.0	26.0	94.0
T176068	7.0	3.0	6.0	5.0	5.0	4.0	5.0	36.0	30.0	25.0	91.0
T176069	7.5	3.0	6.0	6.0	6.0	4.0	5.0	38.5	30.0	26.0	93.5
T176070	7.0	3.0	6.0	6.0	5.5	4.0	5.0	38.5	30.0	26.0	93.5
T176071	8.0	3.0	6.0	5.0	6.0	3.0	5.0	36.0	30.0	26.0	92.0
T176072	8.0	3.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	25.0	93.0
T176073	8.0	3.0	6.0	6.0	6.0	4.0	5.5	38.5	30.0	25.0	93.5
T176074	8.0	3.0	5.0	5.0	6.0	4.0	6.0	37.0	30.0	26.0	93.0
T176075	8.0	3.0	5.0	6.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T176076	7.0	3.0	6.0	6.0	5.0	4.0	6.0	37.0	30.0	26.0	93.0
T176077	8.0	3.0	5.0	5.0	6.0	4.0	6.0	37.0	30.0	26.0	93.0
T176078	8.0	3.0	6.0	6.0	5.0	3.0	5.0	36.0	30.0	25.0	91.0
T176079	8.0	3.0	5.0	5.0	6.0	4.0	5.0	36.0	30.0	25.0	91.0
T176080	7.0	3.0	6.0	6.0	6.0	4.0	6.0	38.0	30.0	25.0	93.0
T176081	8.0	3.0	5.0	5.0	6.0	3.0	5.0	35.0	30.0	26.0	91.0
T176082	8.0	3.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T176083	8.0	3.0	6.0	6.0	4.0	4.0	6.0	37.0	30.0	25.0	92.0
T176084	7.0	3.0	6.0	6.0	6.0	4.0	6.0	38.0	30.0	25.0	93.0
T176085	8.0	3.0	6.0	6.0	5.0	4.0	5.5	37.5	30.0	26.0	93.5
T176086	8.0	3.0	6.0	6.0	6.0	3.0	5.5	37.5	30.0	26.0	93.5
T176087	8.0	3.0	6.0	6.0	5.0	4.0	5.0	37.0	30.0	26.0	93.0
T176088	8.0	3.0	6.0	6.0	6.0	4.0	5.5	39.0	30.0	25.0	93.5
T176089	8.0	3.0	5.0	5.0	6.0	4.0	5.0	36.0	30.0	26.0	92.0

西南交通大学电气工程学院卫生检查成绩（天佑斋4号）2017级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T041041	7.0	4.0	5.0	5.0	6.0	4.0	6.0	37.0	30.0	26.0	93.0
T041047	7.0	4.0	5.0	4.0	6.0	4.0	3.0	33.0	30.0	26.0	89.0
T041048	7.0	4.0	5.0	5.0	5.0	4.0	4.0	34.0	30.0	26.0	90.0
T041049	7.0	4.0	6.0	5.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T041050	7.0	4.0	6.0	5.0	6.0	4.0	2.0	34.0	30.0	26.0	90.0
T041052	7.0	4.0	5.0	3.0	5.0	4.0	3.0	31.0	30.0	26.0	87.0
T041053	7.0	4.0	6.0	3.0	5.0	4.0	3.0	32.0	30.0	26.0	88.0
T041054	7.0	4.0	6.0	6.0	6.0	4.0	4.0	37.0	30.0	26.0	93.0
T041055	6.0	4.0	6.0	6.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T041056	6.0	4.0	5.0	5.0	5.0	4.0	2.0	31.0	30.0	26.0	87.0
T041058	7.0	4.0	6.0	5.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T041059	7.0	4.0	6.0	4.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T041060	6.0	4.0	6.0	3.0	6.0	4.0	3.0	32.0	30.0	26.0	88.0
T041061	6.0	4.0	5.0	6.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T041062	7.0	4.0	5.0	2.0	6.0	4.0	2.0	30.0	0.0	26.0	56.0
T041063	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	0.0	26.0	61.0
T041064	7.0	4.0	5.0	6.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T042001	7.0	4.0	5.0	4.0	6.0	4.0	4.0	34.0	30.0	26.0	90.0
T042002	7.0	4.0	5.0	5.0	6.0	4.0	4.0	35.0	30.0	26.0	91.0
T042003	6.0	4.0	5.0	4.0	5.0	4.0	3.0	31.0	30.0	26.0	87.0
T042004	7.0	4.0	5.0	4.0	6.0	4.0	5.0	35.0	30.0	26.0	91.0
T042005	7.0	4.0	5.0	6.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T042006	7.0	4.0	6.0	5.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T042007	6.0	4.0	5.0	2.0	6.0	4.0	2.0	29.0	30.0	26.0	85.0
T042008	7.0	4.0	6.0	3.0	5.0	4.0	3.0	32.0	30.0	26.0	88.0
T042009	6.0	4.0	6.0	5.0	6.0	4.0	5.0	36.0	30.0	26.0	92.0
T042010	7.0	4.0	5.0	6.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T042011	7.0	4.0	5.0	4.0	6.0	4.0	3.0	33.0	30.0	26.0	89.0
T042012	7.0	4.0	6.0	6.0	5.0	4.0	5.0	37.0	30.0	26.0	93.0
T042013	7.0	4.0	6.0	5.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T042014	7.0	4.0	5.0	2.0	5.0	4.0	2.0	29.0	30.0	26.0	85.0
T042015	7.0	4.0	6.0	4.0	5.0	4.0	6.0	36.0	30.0	26.0	92.0
T042016	7.0	4.0	5.0	2.0	6.0	3.0	2.0	29.0	30.0	26.0	85.0
T042017	7.0	4.0	6.0	3.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T042018	7.0	4.0	6.0	5.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T042019	7.0	4.0	5.0	4.0	5.0	4.0	6.0	35.0	30.0	26.0	91.0
T042020	7.0	4.0	6.0	3.0	5.0	4.0	3.0	32.0	30.0	26.0	88.0
T042021	7.0	4.0	5.0	5.0	5.0	4.0	6.0	36.0	30.0	26.0	92.0
T042022	7.0	4.0	6.0	3.0	6.0	4.0	3.0	33.0	30.0	26.0	89.0
T042023	7.0	4.0	6.0	3.0	6.0	4.0	3.0	33.0	30.0	26.0	89.0
T042024	7.0	4.0	5.0	3.0	6.0	4.0	3.0	32.0	30.0	26.0	88.0
T042025	7.0	4.0	6.0	1.0	5.0	4.0	2.0	29.0	30.0	26.0	85.0
T043001	6.0	4.0	6.0	4.0	5.0	4.0	4.0	33.0	30.0	26.0	89.0
T043002	6.0	4.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T043003	6.0	4.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	26.0	88.0
T043004	6.0	4.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T043005	6.0	4.0	6.0	5.0	4.0	3.0	5.0	33.0	30.0	27.0	90.0
T043006	6.0	4.0	5.0	5.0	4.0	3.0	4.0	31.0	30.0	26.0	87.0
T043007	7.0	4.0	5.0	5.0	4.0	4.0	5.0	34.0	30.0	26.0	90.0
T043008	6.0	4.0	6.0	5.0	4.0	3.0	4.0	32.0	30.0	26.0	88.0
T043009	7.0	4.0	6.0	5.0	5.0	4.0	4.0	35.0	30.0	27.0	92.0
T043010	7.0	4.0	6.0	5.0	5.0	4.0	4.0	35.0	30.0	27.0	92.0
T043011	7.0	4.0	6.0	6.0	5.0	3.0	4.0	35.0	30.0	27.0	92.0
T043012	8.0	4.0	6.0	5.0	5.0	4.0	4.0	36.0	30.0	26.0	92.0
T043013	8.0	4.0	5.0	5.0	5.0	4.0	4.0	35.0	30.0	27.0	92.0
T043014	7.0	4.0	5.0	5.0	5.0	4.0	4.0	34.0	30.0	26.0	90.0
T043015	6.0	4.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0
T043016	6.0	4.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	26.0	89.0

西南交通大学电气工程学院卫生检查成绩（天佑斋4号）2017级男生

寝室号	检查项目							寝室卫 生成绩 40分	寝室安 全成绩 30分	寝室文 化成绩 30分	总分 100
	地面墙壁8 分	门窗4分	书桌6分	阳台6分	床 6分	垃圾筐 4分	洗手间 6分				
T043017	6.0	4.0	6.0	5.0	4.0	4.0	4.0	33.0	30.0	26.0	89.0
T043018	7.0	4.0	5.0	5.0	5.0	4.0	4.0	34.0	30.0	27.0	91.0
T043019	7.0	4.0	5.0	5.0	4.0	4.0	4.0	33.0	30.0	26.0	89.0
T043020	7.0	4.0	6.0	5.0	4.0	4.0	4.0	34.0	30.0	26.0	90.0
T043021	7.0	4.0	5.0	5.0	5.0	3.0	4.0	33.0	30.0	26.0	89.0
T044001	7.0	4.0	5.0	6.0	5.0	4.0	4.0	35.0	30.0	26.0	91.0
T044002	7.0	4.0	5.0	6.0	4.0	3.0	4.0	33.0	30.0	27.0	90.0
T044003	7.0	4.0	6.0	5.0	5.0	4.0	4.0	35.0	30.0	26.0	91.0
T044004	7.0	4.0	6.0	5.0	4.0	3.0	4.0	33.0	30.0	26.0	89.0
T044005	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T044006	7.0	4.0	6.0	5.0	5.0	4.0	4.0	35.0	30.0	27.0	92.0
T044007	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T044008	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T044009	7.0	4.0	5.0	5.0	6.0	3.0	4.0	34.0	30.0	26.0	90.0
T044010	6.0	4.0	5.0	5.0	6.0	3.0	5.0	34.0	30.0	27.0	91.0
T044011	7.0	4.0	6.0	5.0	5.0	3.0	5.0	35.0	30.0	26.0	91.0
T044012	7.0	4.0	5.0	5.0	4.0	4.0	5.0	34.0	30.0	26.0	90.0
T044013	8.0	4.0	5.0	5.0	5.0	4.0	4.0	35.0	30.0	26.0	91.0
T044014	8.0	4.0	5.0	5.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T044015	6.0	4.0	6.0	5.0	4.0	4.0	4.0	33.0	30.0	26.0	89.0
T044016	7.0	4.0	6.0	6.0	4.0	3.0	4.0	34.0	30.0	27.0	91.0
T044017	6.0	4.0	6.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T044018	6.0	4.0	6.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T044019	6.0	4.0	5.0	5.0	4.0	3.0	4.0	31.0	30.0	27.0	88.0
T044020	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T044021	6.0	4.0	5.0	5.0	5.0	2.0	6.0	33.0	30.0	26.0	89.0
T044022	7.0	4.0	6.0	5.0	5.0	3.0	5.0	35.0	30.0	27.0	92.0
T044023	7.0	4.0	6.0	5.0	5.0	3.0	4.0	34.0	30.0	27.0	91.0

西南交通大学电气工程学院卫生检查成绩（天佑斋1号）2016级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T015002	7.0	4.0	4.5	5.0	6.0	3.5	6.0	36.0	30.0	26.5	92.5
T015003	7.5	4.0	6.0	5.0	5.0	4.0	6.0	37.5	30.0	26.0	93.5
T015004	7.5	4.0	5.0	5.0	4.5	4.0	5.0	35.0	30.0	26.0	91.0
T015005	7.0	4.0	5.0	5.0	5.5	4.0	5.0	35.5	30.0	26.0	91.5
T015006	7.0	4.0	4.5	5.0	5.0	4.0	5.0	34.5	30.0	26.0	90.5
T015007	7.0	4.0	5.0	4.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T015008	7.0	4.0	4.5	5.0	6.0	4.0	6.0	36.5	30.0	26.0	92.5
T015009	7.0	4.0	4.5	5.0	6.0	4.0	5.0	35.5	30.0	26.0	91.5
T015010	7.0	4.0	3.5	4.0	4.5	4.0	5.0	32.0	30.0	26.0	88.0
T015011	7.0	4.0	5.5	4.0	6.0	4.0	5.0	35.5	30.0	26.0	91.5
T015012	7.0	4.0	4.0	5.0	5.5	4.0	5.0	34.5	30.0	26.0	90.5
T015013	7.5	4.0	4.5	6.0	6.0	4.0	5.0	37.0	30.0	26.0	93.0
T015014	7.0	4.0	3.5	4.0	5.0	2.5	5.0	31.0	30.0	26.5	87.5
T015015	7.0	4.0	4.0	4.0	6.0	3.5	5.0	33.5	30.0	26.0	89.5
T015016	7.0	4.0	5.0	4.0	6.0	3.5	5.0	34.5	30.0	26.0	90.5
T015017	7.5	4.0	5.0	4.0	5.0	4.0	6.0	35.5	30.0	26.0	91.5
T015018	7.0	4.0	6.0	4.0	4.5	3.5	5.0	34.0	30.0	26.5	90.5
T015019	7.0	4.0	5.5	4.0	6.0	4.0	5.0	35.5	30.0	26.0	91.5
T015020	8.0	4.0	6.0	6.0	6.0	4.0	6.0	40.0	30.0	26.0	96.0
T015021	7.5	4.0	6.0	4.0	5.0	4.0	6.0	36.5	30.0	26.5	93.0
T015022	8.0	4.0	6.0	6.0	6.0	4.0	6.0	40.0	30.0	26.5	96.5
T015023	7.5	4.0	6.0	4.0	6.0	3.0	5.0	35.5	30.0	27.0	92.5
T015024	7.5	4.0	6.0	4.0	4.0	1.5	5.0	32.0	30.0	26.0	88.0
T015025	8.0	4.0	6.0	5.0	5.0	4.0	6.0	38.0	30.0	26.5	94.5
T015026	8.0	4.0	5.0	5.0	5.0	4.0	6.0	37.0	30.0	27.0	94.0
T015027	7.5	4.0	5.5	5.0	4.5	4.0	6.0	36.5	30.0	26.0	92.5
T015028	8.0	4.0	6.0	6.0	5.0	4.0	6.0	39.0	30.0	26.0	95.0
T015029	7.5	4.0	5.5	5.0	4.5	4.0	5.0	35.5	30.0	26.5	92.0
T015030	7.5	4.0	6.0	6.0	6.0	4.0	6.0	39.5	30.0	27.0	96.5
T015031	7.5	4.0	6.0	5.0	4.5	3.5	5.0	35.5	30.0	26.0	91.5
T015032	7.0	4.0	5.5	4.0	4.5	3.0	6.0	34.0	30.0	26.0	90.0
T015033	8.0	4.0	5.0	6.0	5.5	3.0	5.0	36.5	30.0	26.5	93.0
T015034	7.5	4.0	5.0	4.0	6.0	3.5	5.0	35.0	30.0	26.0	91.0
T015035	7.0	4.0	6.0	5.0	5.5	3.0	5.0	35.5	30.0	26.0	91.5
T015036	7.5	4.0	5.0	5.0	4.0	2.0	5.0	32.5	30.0	26.0	88.5
T015037	7.5	4.0	6.0	6.0	6.0	4.0	6.0	39.5	30.0	27.0	96.5
T015038	7.5	4.0	5.0	6.0	3.0	4.0	5.0	34.5	30.0	26.0	90.5
T015039	7.5	4.0	5.0	6.0	4.5	4.0	6.0	37.0	30.0	27.0	94.0
T015040	7.5	4.0	5.0	5.0	5.0	4.0	5.0	35.5	30.0	26.0	91.5
T015041	7.0	4.0	5.0	5.0	5.0	4.0	6.0	36.0	30.0	26.0	92.0
T015042	7.5	4.0	6.0	5.0	5.0	4.0	5.0	36.5	30.0	25.0	91.5
T015043	7.0	4.0	5.0	5.0	5.0	4.0	6.0	36.0	30.0	27.0	93.0
T015044	7.5	4.0	6.0	6.0	4.5	4.0	6.0	38.0	30.0	26.0	94.0
T015045	8.0	4.0	5.0	6.0	5.0	3.0	6.0	37.0	30.0	26.0	93.0
T015046	7.5	4.0	6.0	6.0	5.5	4.0	6.0	39.0	30.0	26.0	95.0
T015047	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T015048	8.0	4.0	6.0	6.0	6.0	4.0	5.0	39.0	30.0	27.0	96.0
T015049	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	26.0	89.0
T015050	7.0	4.0	5.0	6.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T015051	7.5	4.0	5.0	6.0	5.5	4.0	6.0	38.0	30.0	26.0	94.0
T015052	7.0	3.0	5.0	6.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015053	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T015054	7.0	4.0	5.0	5.0	6.0	3.0	5.0	35.0	30.0	26.0	91.0
T015055	8.0	4.0	5.0	6.0	5.0	4.0	5.0	37.0	30.0	26.0	93.0
T015056	7.5	4.0	5.0	6.0	5.0	4.0	5.0	36.5	30.0	26.0	92.5
T015057	8.0	4.0	5.0	5.0	5.0	4.0	6.0	37.0	30.0	26.0	93.0
T015058	7.0	4.0	4.0	6.0	5.0	4.0	6.0	36.0	30.0	26.0	92.0
T015059	7.5	4.0	6.0	6.0	5.0	4.0	5.0	37.5	30.0	26.0	93.5

西南交通大学电气工程学院卫生检查成绩（天佑斋1号）2016级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T015060	7.0	4.0	6.0	5.0	5.0	3.0	5.0	35.0	30.0	26.0	91.0
T015061	7.0	4.0	6.0	5.0	4.0	3.0	5.0	34.0	30.0	26.0	90.0
T015062	7.0	4.0	6.0	5.0	4.0	3.0	5.0	34.0	30.0	26.0	90.0
T015063	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	25.0	89.0
T015064	7.0	4.0	6.0	5.0	6.0	3.0	4.0	35.0	30.0	26.0	91.0
T015065	8.0	4.0	6.0	6.0	5.5	4.0	5.0	38.5	30.0	26.0	94.5
T015066	7.0	3.0	6.0	5.0	6.0	4.0	5.0	36.0	30.0	26.0	92.0
T015067	8.0	4.0	6.0	5.0	5.0	3.0	5.0	36.0	30.0	25.0	91.0
T015068	7.5	4.0	6.0	5.0	5.0	4.0	5.0	36.5	30.0	26.0	92.5
T015069	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T015070	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T015071	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T015072	7.0	4.0	6.0	4.0	5.0	4.0	4.0	34.0	30.0	26.0	90.0
T015073	8.0	4.0	5.0	5.0	5.5	4.0	6.0	37.5	30.0	26.0	93.5
T015074	7.5	4.0	6.0	5.0	5.0	4.0	5.0	36.5	30.0	26.0	92.5
T015075	7.0	4.0	6.0	6.0	4.5	4.0	6.0	37.5	30.0	27.0	94.5
T015076	7.5	4.0	5.0	5.5	6.0	4.0	6.0	38.0	30.0	26.0	94.0
T015077	7.0	4.0	5.0	4.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T015078	7.0	4.0	4.0	4.5	5.0	3.0	5.5	33.0	30.0	26.0	89.0
T015079	8.0	4.0	5.0	6.0	3.0	4.0	6.0	36.0	30.0	26.5	92.5
T015080	7.0	4.0	5.0	6.0	6.0	4.0	6.0	38.0	30.0	26.0	94.0
T015081	7.5	4.0	4.5	5.0	6.0	3.0	5.5	35.5	30.0	25.5	91.0
T015082	8.0	4.0	5.0	5.5	6.0	3.0	5.5	37.0	30.0	26.0	93.0
T015083	8.0	4.0	5.5	6.0	6.0	4.0	5.5	39.0	30.0	26.5	95.5
T015084	7.0	4.0	4.0	6.0	6.0	2.0	5.0	34.0	30.0	25.0	89.0
T015085	8.0	4.0	5.0	6.0	5.0	3.0	5.5	36.5	30.0	26.0	92.5
T015086	8.0	4.0	6.0	5.5	6.0	4.0	5.5	39.0	30.0	27.0	96.0
T015087	8.0	4.0	5.5	5.5	6.0	4.0	6.0	39.0	30.0	27.0	96.0
T015088	7.5	4.0	6.0	5.0	5.0	4.0	6.0	37.5	30.0	27.0	94.5
T015089	8.0	4.0	5.0	4.5	5.0	3.0	5.0	34.5	30.0	25.0	89.5
T015090	8.0	4.0	6.0	6.0	6.0	4.0	5.5	39.5	30.0	27.0	96.5
T015091	7.0	4.0	5.0	5.0	5.0	3.0	5.5	34.5	30.0	25.0	89.5
T015092	7.0	4.0	5.5	5.0	3.0	3.0	6.0	33.5	30.0	26.0	89.5
T015093	7.0	4.0	5.0	5.0	5.0	2.0	5.5	33.5	30.0	25.5	89.0
T015094	7.5	4.0	5.5	4.5	3.0	4.0	5.5	34.0	30.0	25.5	89.5
T015095	7.0	4.0	5.5	5.0	4.0	4.0	6.0	35.5	30.0	26.0	91.5
T015096	7.0	4.0	4.5	4.5	4.0	4.0	5.5	33.5	30.0	26.0	89.5
T015097	7.0	4.0	5.0	5.5	6.0	2.0	5.5	35.0	30.0	26.0	91.0
T015098	7.5	4.0	6.0	5.5	4.0	4.0	6.0	37.0	30.0	26.5	93.5
T015099	7.0	4.0	5.0	4.5	3.0	4.0	5.0	32.5	30.0	25.0	87.5
T015100	7.0	4.0	4.5	5.5	5.0	2.0	6.0	34.0	30.0	26.0	90.0
T015101	7.0	4.0	5.0	5.5	4.0	4.0	5.0	34.5	30.0	26.0	90.5
T015102	7.5	4.0	5.0	5.5	5.0	4.0	5.5	36.5	30.0	26.5	93.0
T015103	7.5	4.0	5.5	6.0	6.0	4.0	5.0	38.0	30.0	26.0	94.0
T015104	7.5	4.0	5.5	6.0	6.0	4.0	5.0	38.0	30.0	25.0	93.0
T015105	8.0	4.0	6.0	6.0	6.0	4.0	4.5	38.5	30.0	26.5	95.0
T015106	7.0	4.0	5.5	5.5	6.0	4.0	6.0	38.0	30.0	25.5	93.5
T015107	7.5	4.0	6.0	5.0	6.0	4.0	4.5	37.0	30.0	26.0	93.0
T015108	7.5	4.0	4.5	5.0	6.0	3.0	4.0	34.0	30.0	25.0	89.0
T016082	7.5	4.0	5.0	5.0	5.0	4.0	6.0	36.5	30.0	26.0	92.5
T016083	7.0	4.0	5.5	5.0	4.0	4.0	4.5	34.0	30.0	26.0	90.0
T016084	7.5	4.0	5.5	5.0	5.0	2.0	5.5	34.5	30.0	27.0	91.5
T016085	7.0	4.0	4.5	4.0	6.0	4.0	5.0	34.5	30.0	26.0	90.5

西南交通大学电气工程学院卫生检查成绩（天佑斋3号）2015级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T034089	6.0	3.0	5.0	5.0	3.5	3.0	5.0	30.5	30.0	24.0	84.5
T034090	6.0	3.0	5.0	5.0	3.0	3.0	4.0	29.0	30.0	25.0	84.0
T034091	6.0	3.0	5.0	5.0	3.0	3.0	4.0	29.0	30.0	24.0	83.0
T034092	5.0	3.0	4.0	4.0	3.0	3.0	5.0	27.0	30.0	25.0	82.0
T034093	5.0	3.0	4.5	4.5	3.0	3.0	5.0	28.0	30.0	26.0	84.0
T034094	6.0	3.0	5.0	5.0	3.0	2.5	5.0	29.5	30.0	26.0	85.5
T034095	7.0	3.0	6.0	6.0	3.0	3.0	4.5	32.5	30.0	26.0	88.5
T034096	6.0	3.0	5.0	5.0	3.0	3.0	4.5	29.5	30.0	26.0	85.5
T034097	6.0	3.0	5.0	5.0	3.5	3.0	4.5	30.0	30.0	26.0	86.0
T034098	7.0	4.0	5.0	5.0	4.0	3.0	4.5	32.5	30.0	26.0	88.5
T034099	5.0	2.0	4.5	4.5	3.0	2.0	4.9	25.9	30.0	26.0	81.9
T034100	7.0	3.0	5.0	5.0	3.0	2.0	4.8	29.8	30.0	26.0	85.8
T035035	7.0	3.0	5.0	5.0	3.0	3.0	5.0	31.0	30.0	26.0	87.0
T035036	8.0	4.0	6.0	6.0	5.0	3.5	5.3	37.8	30.0	26.0	93.8
T035037	7.0	3.0	6.0	6.0	4.0	3.0	4.8	33.8	30.0	27.0	90.8
T035038	7.0	3.0	5.0	5.0	3.0	3.0	5.0	31.0	30.0	26.0	87.0
T035039	6.0	3.0	6.0	6.0	3.5	3.0	4.9	32.4	30.0	27.0	89.4
T035040	5.0	3.0	5.0	5.0	3.5	2.5	4.4	28.4	30.0	27.0	85.4
T035041	5.0	3.0	5.0	5.0	3.5	2.5	4.9	28.9	30.0	26.0	84.9
T035042	6.0	3.0	4.0	5.0	3.5	3.0	4.6	29.1	30.0	26.0	85.1
T035043	7.0	3.0	5.0	5.0	3.5	3.0	4.5	31.0	30.0	26.0	87.0
T035044	6.0	3.0	6.0	5.0	3.5	2.5	4.6	30.6	30.0	26.0	86.6
T035045	6.0	3.0	5.0	6.0	4.0	3.0	4.6	31.6	30.0	26.0	87.6
T035046	6.0	3.0	4.0	4.0	3.5	3.0	4.5	28.0	30.0	26.0	84.0
T035047	7.0	4.0	4.5	4.5	4.0	3.5	4.5	32.0	30.0	24.0	86.0
T035048	7.0	4.0	6.0	5.0	3.5	3.0	4.5	33.0	30.0	27.0	90.0
T035049	6.0	3.0	6.5	5.0	3.0	3.0	4.5	31.0	30.0	25.0	86.0
T035050	7.0	4.0	4.0	6.0	4.0	3.0	4.6	32.6	30.0	27.0	89.6
T035051	7.0	4.0	5.5	5.0	4.0	3.0	4.9	33.4	30.0	27.0	90.4
T035052	6.0	3.0	4.5	5.0	4.0	3.0	4.6	30.1	30.0	27.0	87.1
T035053	7.0	4.0	6.0	4.5	4.5	3.0	4.6	33.6	30.0	25.0	88.6
T035054	5.0	3.0	5.0	5.0	4.0	3.0	4.0	29.0	30.0	26.0	85.0
T035055	7.0	3.0	4.0	5.0	3.5	3.0	4.6	30.1	30.0	26.0	86.1
T035056	6.0	3.0	5.0	5.0	4.0	2.5	4.5	30.0	30.0	26.0	86.0
T035057	7.0	4.0	5.0	5.0	3.5	2.5	4.7	31.7	30.0	25.0	86.7
T035058	6.0	3.0	6.0	6.0	4.0	2.5	4.6	32.1	30.0	27.0	89.1
T035059	7.0	4.0	6.0	6.0	4.0	3.0	4.6	34.6	30.0	26.0	90.6
T035060	6.0	3.0	6.0	5.0	4.0	3.0	4.3	31.3	30.0	25.0	86.3
T035061	6.0	3.0	6.0	6.0	4.0	3.0	4.5	32.5	30.0	26.0	88.5
T035062	7.0	4.0	5.0	6.0	4.0	2.5	4.5	33.0	30.0	27.0	90.0
T035063	6.0	3.0	4.0	5.0	4.0	2.5	5.0	29.5	30.0	27.0	86.5
T035064	5.0	3.0	5.0	6.0	4.5	3.0	4.5	31.0	30.0	27.0	88.0
T035065	6.0	3.0	4.0	5.0	4.0	3.0	4.5	29.5	30.0	27.0	86.5
T035066	6.0	3.0	5.0	6.0	4.0	2.5	4.4	30.9	30.0	27.0	87.9
T035067	7.0	3.0	5.0	5.0	4.0	3.0	4.0	31.0	30.0	25.0	86.0
T035068	6.0	3.0	5.0	5.0	3.0	3.0	4.0	29.0	30.0	26.0	85.0
T035069	6.0	4.0	5.0	4.0	4.0	3.0	4.0	30.0	30.0	25.0	85.0
T035070	7.0	3.0	4.0	5.0	4.0	3.0	4.0	30.0	30.0	24.0	84.0
T035071	6.0	4.0	5.0	5.0	4.0	2.0	4.0	30.0	30.0	26.0	86.0
T035072	6.0	4.0	5.0	4.0	4.0	3.0	4.0	30.0	30.0	25.0	85.0
T035073	7.0	4.0	5.0	5.0	5.0	4.0	4.0	34.0	30.0	24.0	88.0
T035074	8.0	4.0	5.0	5.0	5.0	4.0	5.0	36.0	30.0	25.0	91.0
T035075	7.0	3.0	5.0	5.0	5.0	3.0	4.0	32.0	30.0	25.0	87.0
T035076	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	25.0	88.0
T035077	7.0	3.0	4.0	5.0	4.0	4.0	4.0	31.0	30.0	26.0	87.0
T035078	7.0	3.0	5.0	4.0	4.0	3.0	4.0	30.0	30.0	26.0	86.0
T035079	6.0	3.0	5.0	5.0	3.0	3.0	4.0	29.0	30.0	25.0	84.0
T035080	7.0	3.0	4.0	4.0	3.0	4.0	4.0	29.0	30.0	27.0	86.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3号）2015级男生

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T035081	7.0	3.0	5.0	5.0	4.0	3.0	4.0	31.0	30.0	25.0	86.0
T035082	6.0	3.0	5.0	5.0	3.0	2.0	4.0	28.0	30.0	25.0	83.0
T035083	7.0	3.0	5.0	4.0	5.0	3.0	4.0	31.0	30.0	24.0	85.0
T035084	7.0	4.0	5.0	5.0	4.0	3.0	4.0	32.0	30.0	26.0	88.0
T035085	7.0	3.0	4.0	5.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T035086	7.0	3.0	4.0	5.0	4.0	3.0	4.0	30.0	30.0	26.0	86.0
T035087	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	26.0	84.0
T035088	6.0	3.0	5.0	5.0	2.0	4.0	5.0	30.0	30.0	25.0	85.0
T035089	6.0	4.0	4.0	4.0	3.0	3.0	4.0	28.0	30.0	25.0	83.0
T035090	6.0	3.0	4.0	5.0	4.0	3.0	4.0	29.0	30.0	26.0	85.0
T035091	6.0	4.0	5.0	4.0	5.0	4.0	4.0	32.0	30.0	25.0	87.0
T035092	6.0	3.0	4.0	5.0	5.0	3.0	4.0	30.0	30.0	26.0	86.0
T035093	6.0	3.0	5.0	5.0	4.0	3.0	4.0	30.0	30.0	25.0	85.0
T035094	7.0	3.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	24.0	87.0
T035095	7.0	3.0	4.0	5.0	5.0	3.0	5.0	32.0	30.0	27.0	89.0
T035096	6.0	3.0	4.0	5.0	5.0	3.0	4.0	30.0	30.0	25.0	85.0
T035097	6.0	3.0	4.0	5.0	4.0	3.0	4.0	29.0	30.0	26.0	85.0
T035098	7.0	3.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	27.0	90.0
T035099	7.0	3.0	4.0	5.0	5.0	3.0	5.0	32.0	30.0	24.0	86.0
T035100	7.0	4.0	5.0	5.0	5.0	3.0	4.0	33.0	30.0	25.0	88.0
T035101	6.0	3.0	5.0	4.0	3.0	4.0	4.0	29.0	30.0	26.0	85.0
T035102	7.0	3.0	4.0	4.0	4.0	3.0	5.0	30.0	30.0	25.0	85.0
T035103	7.0	3.0	4.0	4.0	4.0	3.0	4.0	29.0	30.0	25.0	84.0
T035104	6.0	3.0	4.0	4.0	3.0	2.0	4.0	26.0	30.0	25.0	81.0
T035105	7.0	3.0	4.0	4.0	3.0	2.0	4.0	27.0	30.0	24.0	81.0
T035106	6.0	4.0	5.0	4.0	3.0	3.0	4.0	29.0	30.0	24.0	83.0
T035107	6.0	3.0	4.0	4.0	3.0	2.0	4.0	26.0	30.0	25.0	81.0
T035108	6.0	3.0	4.0	4.0	3.0	2.0	4.0	26.0	30.0	26.0	82.0