

西南交通大学电气工程学院卫生检查成绩（天佑斋3、21号-2019级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T031036	8.0	3.0	6.0	8.0	6.0	6.0	8.0	45.0	30.0	15.5	90.5
T031038	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.5	94.5
T031039	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	16.5	95.5
T031040	7.0	3.0	7.0	8.0	7.0	5.0	8.0	45.0	30.0	17.5	92.5
T031041	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	15.5	95.5
T031042	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	16.5	95.5
T031043	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.5	94.5
T031044	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.5	95.5
T031046	8.0	3.0	7.0	8.0	8.0	5.0	8.0	47.0	30.0	16.5	93.5
T031047	7.0	3.0	7.0	8.0	8.0	6.0	8.0	47.0	30.0	15.5	92.5
T031048	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	14.5	94.5
T031049	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.5	94.5
T031050	7.0	4.0	7.0	8.0	6.0	6.0	8.0	46.0	30.0	16.5	92.5
T031051	6.0	4.0	7.0	8.0	5.0	6.0	8.0	44.0	30.0	15.5	89.5
T031052	7.0	4.0	7.0	8.0	6.0	6.0	8.0	46.0	30.0	14.5	90.5
T031053	8.0	3.0	7.0	8.0	8.0	5.0	8.0	47.0	30.0	16.5	93.5
T031054	7.0	4.0	8.0	8.0	8.0	5.0	8.0	48.0	30.0	15.5	93.5
T031055	6.0	3.0	8.0	8.0	8.0	6.0	8.0	47.0	30.0	17.5	94.5
T031056	7.0	4.0	6.0	8.0	6.0	5.0	8.0	44.0	30.0	15.5	89.5
T031057	6.0	4.0	7.0	8.0	8.0	4.0	8.0	45.0	30.0	15.5	90.5
T031058	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	14.5	94.5
T031059	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	15.5	93.5
T031060	6.0	3.0	7.0	8.0	8.0	6.0	8.0	46.0	30.0	16.5	92.5
T031061	5.0	3.0	6.0	8.0	6.0	5.0	8.0	41.0	30.0	16.5	87.5
T031062	5.0	4.0	6.0	8.0	7.0	6.0	8.0	44.0	30.0	15.5	89.5
T031063	7.0	4.0	7.0	8.0	8.0	5.0	8.0	47.0	30.0	17.5	94.5
T031064	6.0	3.0	7.0	8.0	6.0	6.0	8.0	44.0	30.0	14.5	88.5
T031065	7.0	3.0	8.0	8.0	6.0	5.0	8.0	45.0	30.0	15.5	90.5
T031066	6.0	3.0	7.0	8.0	6.0	4.0	8.0	42.0	30.0	14.5	86.5
T031067	8.0	1.0	7.0	8.0	6.0	4.0	8.0	42.0	30.0	16.5	88.5
T032038	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	16.5	93.5
T032039	8.0	3.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	15.5	92.5
T032040	8.0	4.0	7.0	8.0	6.0	6.0	8.0	47.0	30.0	17.5	94.5
T032041	8.0	3.0	7.0	8.0	8.0	4.0	8.0	46.0	30.0	16.5	92.5
T032042	7.0	3.0	7.0	8.0	8.0	5.0	8.0	46.0	30.0	15.5	91.5
T032043	8.0	4.0	7.0	8.0	7.0	5.0	8.0	47.0	30.0	14.5	91.5
T032044	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	16.5	95.5
T032045	6.0	4.0	7.0	8.0	8.0	6.0	8.0	47.0	30.0	14.5	91.5
T032046	6.0	4.0	8.0	8.0	8.0	5.0	8.0	47.0	30.0	16.5	93.5
T032047	6.0	3.0	8.0	8.0	8.0	4.0	8.0	45.0	30.0	16.5	91.5
T032048	6.0	4.0	7.0	8.0	6.0	5.0	8.0	44.0	30.0	17.5	91.5
T032049	6.0	4.0	7.0	8.0	7.0	4.0	8.0	44.0	30.0	17.5	91.5
T032050	7.0	3.0	7.0	8.0	8.0	6.0	8.0	47.0	30.0	15.5	92.5
T032051	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	14.5	92.5
T032052	7.0	3.0	8.0	8.0	8.0	5.0	8.0	47.0	30.0	16.5	93.5
T032053	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.5	96.5
T032054	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	15.5	93.5
T032055	7.0	4.0	6.0	6.0	8.0	6.0	7.0	44.0	30.0	19.0	93.0
T032056	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	19.0	95.0
T032057	6.0	4.0	5.0	6.0	7.0	5.0	6.0	39.0	30.0	19.0	88.0
T032058	7.0	4.0	6.0	7.0	7.0	5.0	8.0	44.0	30.0	17.0	91.0
T032059	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T032060	7.0	4.0	7.0	8.0	7.0	6.0	7.0	46.0	30.0	17.0	93.0
T032061	7.0	4.0	6.0	6.0	7.0	6.0	8.0	44.0	30.0	18.0	92.0
T032062	7.0	3.0	6.0	7.0	7.0	5.0	8.0	43.0	30.0	18.0	91.0
T032063	6.0	4.0	7.0	7.0	7.0	6.0	8.0	45.0	30.0	18.0	93.0

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T032064	7.0	4.0	7.0	7.0	6.0	6.0	8.0	45.0	30.0	18.0	93.0
T032065	7.0	3.0	7.0	7.0	6.0	6.0	7.0	43.0	30.0	18.0	91.0
T032066	6.0	4.0	6.0	6.0	7.0	5.0	8.0	42.0	30.0	18.0	90.0
T032067	7.0	4.0	6.0	5.0	7.0	5.0	6.0	40.0	30.0	18.0	88.0
T032068	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0
T032069	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	17.0	92.0
T032070	6.0	4.0	5.0	6.0	6.0	4.0	7.0	38.0	30.0	18.0	86.0
T032071	8.0	4.0	8.0	7.0	7.0	4.0	7.0	45.0	30.0	18.0	93.0
T032072	6.0	3.0	7.0	5.0	6.0	4.0	6.0	37.0	30.0	16.0	83.0
T032073	7.0	4.0	6.0	7.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T032074	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T032075	8.0	4.0	7.0	7.0	7.0	5.0	8.0	46.0	30.0	17.0	93.0
T032076	7.0	3.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T032077	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T032078	8.0	4.0	7.0	5.0	7.0	6.0	6.0	43.0	30.0	17.0	90.0
T032079	7.0	3.0	6.0	6.0	8.0	6.0	7.0	43.0	30.0	19.0	92.0
T032080	8.0	4.0	6.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T032081	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T032082	8.0	4.0	8.0	7.0	8.0	6.0	6.0	47.0	30.0	18.0	95.0
T032083	7.0	3.0	7.0	5.0	7.0	6.0	5.0	40.0	30.0	17.0	87.0
T032084	8.0	3.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T032085	8.0	4.0	7.0	8.0	8.0	5.0	8.0	48.0	30.0	18.0	96.0
T032086	7.0	3.0	6.0	8.0	7.0	6.0	8.0	45.0	30.0	17.0	92.0
T032087	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	18.0	97.0
T032088	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T032089	8.0	3.0	7.0	6.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T032090	8.0	3.0	6.0	7.0	8.0	6.0	8.0	46.0	30.0	17.0	93.0
T032091	8.0	4.0	7.0	6.0	7.0	5.0	6.0	43.0	30.0	17.0	90.0
T032092	8.0	4.0	6.0	6.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T032093	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0
T032094	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T032095	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	19.0	98.0
T032096	7.0	4.0	8.0	7.0	7.0	5.0	7.0	45.0	30.0	16.0	91.0
T032097	8.0	4.0	7.0	7.0	8.0	5.0	7.0	46.0	30.0	18.0	94.0
T032098	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T032099	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T032100	8.0	4.0	8.0	6.0	7.0	6.0	6.0	45.0	30.0	18.0	93.0
T213038	7.7	4.0	7.3	7.7	7.3	5.7	6.7	46.4	30.0	16.7	93.1
T213039	8.0	3.3	7.3	7.7	7.0	5.3	6.7	45.3	30.0	17.0	92.3
T213040	7.3	3.3	7.0	7.3	7.3	5.7	7.0	44.9	30.0	17.3	92.2
T213041	7.7	3.3	6.7	7.0	8.0	5.3	6.7	44.7	30.0	17.7	92.4
T213042	7.3	3.7	7.7	8.0	8.0	5.3	7.3	47.3	30.0	18.0	95.3
T213043	7.0	4.0	6.7	8.0	7.0	5.0	7.3	45.0	30.0	18.0	93.0
T213044	7.3	4.0	6.3	7.3	7.7	5.0	7.3	44.9	30.0	17.3	92.2

注：黄底色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋17号-2018级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T174091	7.0	3.0	7.0	7.0	6.0	4.0	7.0	41.0	30.0	15.0	86.0
T174092	7.0	3.0	8.0	8.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T174093	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T174094	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T174095	7.0	2.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	16.0	88.0
T175062	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T175063	7.0	2.0	5.0	7.0	6.0	5.0	7.0	39.0	30.0	16.0	85.0
T175064	8.0	3.0	7.0	7.0	7.0	5.0	8.0	45.0	30.0	16.0	91.0
T175065	7.0	3.0	7.0	6.0	7.0	5.0	7.0	42.0	30.0	15.0	87.0
T175066	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T175067	7.0	3.0	7.0	7.0	7.0	5.0	8.0	44.0	30.0	16.0	90.0
T175068	8.0	3.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	17.0	93.0
T175069	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T175071	7.0	1.0	7.0	6.0	7.0	5.0	7.0	40.0	30.0	15.0	85.0
T175072	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T175073	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T175074	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T175075	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T175076	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T175077	7.0	3.0	7.0	7.0	7.0	4.0	7.0	42.0	30.0	15.0	87.0
T175078	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T175079	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T175080	8.0	3.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T175081	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	16.0	90.0
T175082	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T175083	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T175084	7.0	3.0	7.0	7.0	7.0	6.0	8.0	45.0	30.0	17.0	92.0
T175085	7.0	3.0	7.0	7.0	7.0	6.0	8.0	45.0	30.0	16.0	91.0
T175086	8.0	3.0	8.0	8.0	7.0	5.0	8.0	47.0	30.0	16.0	93.0
T175087	8.0	3.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T175088	8.0	3.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	17.0	93.0
T175089	7.0	3.0	7.0	7.0	7.0	5.0	8.0	44.0	30.0	16.0	90.0
T175090	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T175091	8.0	3.0	7.0	7.0	7.0	5.0	8.0	45.0	30.0	16.0	91.0
T175092	8.0	3.0	7.0	7.0	7.0	5.0	8.0	45.0	30.0	16.0	91.0
T175093	8.0	3.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T175094	8.0	3.0	7.0	7.0	7.0	5.0	8.0	45.0	30.0	16.0	91.0
T175095	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	16.0	90.0
T175096	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T176039	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	16.0	88.0
T176040	7.0	3.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	16.0	87.0
T176041	7.0	3.0	6.0	7.0	6.0	5.0	7.0	41.0	30.0	16.0	87.0
T176042	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	16.0	88.0
T176043	7.0	3.0	7.0	7.0	7.0	4.0	7.0	42.0	30.0	15.0	87.0
T176044	7.0	3.0	7.0	7.0	6.0	5.0	8.0	43.0	30.0	16.0	89.0
T176045	8.0	3.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	18.5	96.5
T176046	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	18.5	93.5
T176047	8.0	4.0	6.0	7.0	7.0	5.0	7.0	44.0	30.0	18.5	92.5
T176048	8.0	3.0	7.0	5.0	6.0	5.0	6.0	40.0	30.0	18.5	88.5
T176049	8.0	2.0	6.0	7.0	6.0	5.0	7.0	41.0	30.0	18.5	89.5
T176050	8.0	3.0	7.0	6.0	7.0	5.0	8.0	44.0	30.0	18.5	92.5
T176051	8.0	4.0	7.0	5.0	7.0	5.0	8.0	44.0	30.0	18.5	92.5
T176052	8.0	2.0	6.0	6.0	6.0	6.0	8.0	42.0	30.0	18.5	90.5
T176053	7.0	2.0	6.0	5.0	6.0	5.0	8.0	39.0	30.0	18.5	87.5
T176054	8.0	3.0	7.0	6.0	7.0	6.0	8.0	45.0	30.0	18.5	93.5
T176055	7.0	3.0	7.0	8.0	8.0	5.0	8.0	46.0	30.0	18.5	94.5

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T176056	7.0	4.0	6.0	7.0	7.0	6.0	8.0	45.0	30.0	18.5	93.5
T176057	8.0	3.0	6.0	7.0	8.0	6.0	7.0	45.0	30.0	18.5	93.5
T176058	8.0	3.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	18.5	94.5
T176059	8.0	3.0	6.0	6.0	6.0	5.0	7.0	41.0	30.0	18.5	89.5
T176060	6.0	4.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	18.5	89.5
T176061	7.0	3.0	7.0	7.0	7.0	6.0	8.0	45.0	30.0	15.5	90.5
T176062	7.0	3.0	7.0	7.0	7.0	4.0	6.0	41.0	30.0	15.5	86.5
T176063	8.0	4.0	7.0	7.0	6.0	5.0	8.0	45.0	30.0	15.5	90.5
T176065	6.0	2.0	6.0	6.0	5.0	5.0	7.0	37.0	30.0	15.5	82.5
T176066	7.0	3.0	7.0	6.0	6.0	5.0	7.0	41.0	30.0	15.5	86.5
T176067	6.0	2.0	6.0	7.0	7.0	6.0	7.0	41.0	30.0	15.5	86.5
T176068	6.0	2.0	7.0	6.0	6.0	6.0	7.0	40.0	30.0	15.5	85.5
T176069	7.0	3.0	6.0	6.0	7.0	6.0	7.0	42.0	30.0	17.5	89.5
T176070	7.0	4.0	7.0	7.0	6.0	6.0	8.0	45.0	30.0	18.5	93.5
T176071	8.0	4.0	6.0	7.0	7.0	6.0	7.0	45.0	30.0	17.5	92.5
T176072	8.0	3.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	17.5	93.5
T176073	8.0	3.0	6.0	7.0	8.0	6.0	8.0	46.0	30.0	17.5	93.5
T176074	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	18.5	94.5
T176075	7.0	4.0	6.0	7.0	7.0	6.0	8.0	45.0	30.0	17.5	92.5
T176076	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.5	92.5
T176077	7.0	3.0	7.0	5.0	6.0	5.0	8.0	41.0	30.0	17.5	88.5
T176078	7.0	3.0	6.0	5.0	6.0	5.0	7.0	39.0	30.0	16.5	85.5
T176079	7.0	4.0	5.0	6.0	6.0	5.0	7.0	40.0	30.0	15.5	85.5
T176080	8.0	3.0	6.0	7.0	7.0	6.0	8.0	45.0	30.0	15.5	90.5
T176081	7.0	3.0	5.0	6.0	5.0	5.0	8.0	39.0	30.0	15.5	84.5
T176082	8.0	3.0	6.0	6.0	6.0	5.0	7.0	41.0	30.0	18.5	89.5
T176083	7.0	3.0	7.0	6.0	6.0	5.0	8.0	42.0	30.0	19.5	91.5
T176084	6.0	3.0	6.0	6.0	5.0	6.0	7.0	39.0	30.0	18.5	87.5
T176085	7.0	3.0	6.0	6.0	6.0	5.0	7.0	40.0	30.0	17.5	87.5
T176086	8.0	2.0	7.0	7.0	6.0	6.0	7.0	43.0	30.0	17.5	90.5
T176087	6.0	3.0	6.0	7.0	6.0	5.0	7.0	40.0	30.0	15.5	85.5
T176088	7.0	3.0	6.0	6.0	7.0	6.0	5.0	40.0	30.0	15.5	85.5
T176089	7.0	4.0	6.0	6.0	6.0	6.0	8.0	43.0	30.0	15.5	88.5

西南交通大学电气工程学院卫生检查成绩（天佑斋4号-2017级男生）

◎	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T041041	7.0	3.0	7.0	8.0	8.0	6.0	8.0	47.0	30.0	15.0	92.0
T041047	7.0	3.0	7.0	7.0	7.0	5.0	8.0	44.0	30.0	15.0	89.0
T041048	7.0	2.0	6.0	8.0	6.0	6.0	6.0	41.0	30.0	15.0	86.0
T041049	7.0	2.0	7.0	8.0	6.0	6.0	8.0	44.0	30.0	15.0	89.0
T041050	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	15.0	94.0
T041052	7.0	2.0	8.0	8.0	6.0	5.0	6.0	42.0	30.0	15.0	87.0
T041053	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T041054	8.0	4.0	8.0	8.0	6.0	5.0	8.0	47.0	30.0	15.0	92.0
T041055	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T041056	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	15.0	95.0
T041058	8.0	2.0	8.0	8.0	8.0	5.0	6.0	45.0	30.0	15.0	90.0
T041059	7.0	3.0	7.0	8.0	7.0	5.0	8.0	45.0	30.0	15.0	90.0
T041060	8.0	3.0	5.0	8.0	7.0	4.0	8.0	43.0	30.0	15.0	88.0
T041061	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T041062	6.0	2.0	6.0	5.0	7.0	4.0	6.0	36.0	30.0	15.0	81.0
T041063	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	15.0	93.0
T041064	6.0	3.0	5.0	8.0	5.0	4.0	7.0	38.0	30.0	15.0	83.0
T042001	7.0	4.0	8.0	8.0	7.0	6.0	8.0	48.0	30.0	16.0	94.0
T042002	6.0	4.0	8.0	8.0	8.0	3.0	8.0	45.0	30.0	15.0	90.0
T042003	7.0	4.0	8.0	6.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T042004	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T042005	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	16.0	95.0
T042006	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T042007	7.0	3.0	8.0	7.0	7.0	5.0	8.0	45.0	30.0	15.0	90.0
T042008	7.0	3.0	7.0	6.0	7.0	4.0	6.0	40.0	30.0	15.0	85.0
T042009	6.0	3.0	8.0	7.0	7.0	5.0	8.0	44.0	30.0	15.0	89.0
T042010	7.0	3.0	7.0	7.0	6.0	6.0	7.0	43.0	30.0	15.0	88.0
T042011	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	16.0	94.0
T042012	7.0	2.0	7.0	7.0	7.0	6.0	7.0	43.0	30.0	15.0	88.0
T042013	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	16.0	94.0
T042014	5.0	2.0	6.0	5.0	6.0	3.0	5.0	32.0	30.0	15.0	77.0
T042015	6.0	3.0	8.0	7.0	7.0	6.0	8.0	45.0	30.0	16.0	91.0
T042016	6.0	2.0	6.0	8.0	8.0	3.0	5.0	38.0	30.0	15.0	83.0
T042017	7.0	4.0	7.0	8.0	7.0	5.0	8.0	46.0	30.0	15.0	91.0
T042018	8.0	3.0	7.0	8.0	6.0	5.0	8.0	45.0	30.0	15.0	90.0
T042019	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	16.0	93.0
T042020	6.0	3.0	6.0	6.0	8.0	3.0	6.0	38.0	30.0	15.0	83.0
T042021	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	16.0	94.0
T042022	8.0	3.0	8.0	8.0	7.0	4.0	8.0	46.0	30.0	15.0	91.0
T042023	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T042024	8.0	2.0	8.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T042025	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T043001	6.0	3.0	6.0	6.0	4.0	4.0	8.0	37.0	30.0	19.0	86.0
T043002	7.0	3.0	6.0	7.0	4.0	3.0	8.0	38.0	30.0	20.0	88.0
T043003	6.0	4.0	5.0	5.0	5.0	4.0	8.0	37.0	30.0	18.0	85.0
T043004	6.0	3.0	5.0	6.0	5.0	4.0	8.0	37.0	30.0	18.0	85.0
T043005	6.0	4.0	6.0	6.0	5.0	4.0	8.0	39.0	30.0	19.0	88.0
T043006	7.0	3.0	5.0	6.0	5.0	4.0	8.0	38.0	30.0	18.0	86.0
T043007	8.0	4.0	7.0	8.0	5.0	5.0	8.0	45.0	30.0	21.0	96.0
T043008	6.0	4.0	6.0	7.0	6.0	5.0	8.0	42.0	30.0	19.0	91.0
T043009	7.0	2.0	5.0	6.0	6.0	4.0	8.0	38.0	30.0	17.0	85.0
T043010	7.0	4.0	6.0	6.0	5.0	6.0	8.0	42.0	30.0	20.0	92.0
T043011	7.0	3.0	7.0	7.0	6.0	3.0	8.0	41.0	30.0	19.0	90.0
T043012	7.0	4.0	7.0	7.0	6.0	4.0	8.0	43.0	30.0	19.0	92.0
T043013	7.0	3.0	6.0	8.0	4.0	5.0	8.0	41.0	30.0	19.0	90.0
T043014	8.0	4.0	6.0	8.0	4.0	5.0	8.0	43.0	30.0	20.0	93.0

◎	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T043015	8.0	4.0	7.0	8.0	5.0	5.0	8.0	45.0	30.0	20.0	95.0
T043016	7.0	2.0	5.0	6.0	5.0	5.0	8.0	38.0	30.0	18.0	86.0
T043017	4.0	3.0	6.0	7.0	4.0	4.0	8.0	36.0	30.0	17.0	83.0
T043018	8.0	4.0	7.0	8.0	5.0	3.0	8.0	43.0	30.0	20.0	93.0
T043019	7.0	4.0	6.0	7.0	5.0	5.0	8.0	42.0	30.0	19.0	91.0
T043020	7.0	4.0	6.0	7.0	5.0	5.0	8.0	42.0	30.0	18.0	90.0
T043021	7.0	4.0	6.0	7.0	6.0	5.0	8.0	43.0	30.0	17.0	90.0
T044001	7.0	4.0	6.0	8.0	5.0	5.0	8.0	43.0	30.0	20.0	93.0
T044002	8.0	4.0	6.0	8.0	7.0	5.0	8.0	46.0	30.0	18.0	94.0
T044003	6.0	4.0	6.0	8.0	5.0	5.0	8.0	42.0	30.0	18.0	90.0
T044004	6.0	4.0	7.0	7.0	5.0	5.0	8.0	42.0	30.0	17.0	89.0
T044005	7.0	4.0	7.0	7.0	5.0	5.0	8.0	43.0	30.0	18.0	91.0
T044006	7.0	4.0	6.0	8.0	5.0	6.0	8.0	44.0	30.0	17.0	91.0
T044007	7.0	2.0	7.0	7.0	6.0	5.0	8.0	42.0	30.0	17.0	89.0
T044008	8.0	4.0	6.0	8.0	5.0	6.0	8.0	45.0	30.0	17.0	92.0
T044009	8.0	4.0	7.0	8.0	5.0	5.0	8.0	45.0	30.0	17.0	92.0
T044010	7.0	3.0	6.0	8.0	6.0	6.0	8.0	44.0	30.0	20.0	94.0
T044011	6.0	4.0	6.0	8.0	6.0	4.0	8.0	42.0	30.0	18.0	90.0
T044012	8.0	4.0	7.0	8.0	5.0	6.0	8.0	46.0	30.0	16.0	92.0
T044013	6.0	4.0	5.0	8.0	6.0	3.0	8.0	40.0	30.0	20.0	90.0
T044014	7.0	4.0	5.0	8.0	4.0	5.0	8.0	41.0	30.0	17.0	88.0
T044015	7.0	3.0	6.0	8.0	6.0	5.0	8.0	43.0	30.0	16.0	89.0
T044016	6.0	4.0	6.0	8.0	3.0	5.0	8.0	40.0	30.0	17.0	87.0
T044017	8.0	4.0	6.0	8.0	5.0	5.0	8.0	44.0	30.0	18.0	92.0
T044018	7.0	4.0	5.0	8.0	5.0	5.0	8.0	42.0	30.0	17.0	89.0
T044019	8.0	4.0	6.0	8.0	5.0	5.0	8.0	44.0	30.0	17.0	91.0
T044020	7.0	4.0	6.0	8.0	5.0	5.0	8.0	43.0	30.0	18.0	91.0
T044021	7.0	4.0	6.0	7.0	5.0	5.0	8.0	42.0	30.0	17.0	89.0
T044022	7.0	4.0	6.0	8.0	5.0	5.0	8.0	43.0	30.0	18.0	91.0
T044023	8.0	4.0	7.0	7.0	5.0	5.0	8.0	44.0	30.0	18.0	92.0